


# K-180 CUSTOM PUMPER

MODEL #4117



## ROAD READY IN 12 MONTHS OR LESS\*

### CHASSIS

- KME Panther EMFD 10" Raised Roof
- Seating Capacity 6
- Cummins X10 450HP MHD or HHD Engine
- Extreme Duty Interior
- FRC OmniPlex 10" Touchscreen Controls
- 12.8" Touchscreen Instrument Cluster
- IMMI 4Front® & RollTek™ Occupant Protection
- Independent Front Suspension
- Axles: 21,500 Front, 24,000 Rear
- 21" Front Bumper Extension
- 183" Wheelbase
- Advanced Climate Control
- Rear View Backup Camera w/ Color Display
- Whelen Front & Side Scene Lighting
- 48° Cramp Angle
- Michelin Tires
- HD Steel Severe Duty Front Bumper
- Dual Grover Brand Stutter Air Horns
- Optional Federal Q2B Mechanical Siren

### BEST IN CLASS FEATURES

- 2-year bumper-to-bumper warranty, backed by KME's nationwide service and support network
- Features non-proprietary pump components and standard parts, making reordering easy and efficient






### PUMP & PLUMBING

- Waterous CSU 2000 GPM
- FRC InControl Pressure Governor
- 500 Gallons Water / 20 Gallons Foam
- 5" Front Suction w/ Swivel
- 4" Master Discharge
- Booster Reel
- LH and RH Rear Discharges
- Pre-Connects:
  - (2) 1-3/4" Crosslays
  - (1) 2-1/2" Crosslay
  - (1) 2-1/2" Front Trashline
  - (1) 2-1/2" Hose Bed
- TFT Extenda-Gun on Deluge Riser
- Poly Water Tank

### BODY

- Tri-Max™ High Strength Aluminum Body
- High/Low Configuration with Low Hosebed
- Vibra-Torque Body Mounting System
- ROM Series IV Roll-up Doors
- Dual Full-Height LED Compartment Lights
- Door Protection Shields
- SCBA Bottle Storage for (3)
- Durable Compartment Finish
- OnScene LED Compartment Lighting
- Whelen LED Lighting Package
- Side Mounted 24', 14', 10' Attic Ladder, and Two std Pike Poles
- Intermediate Rear Step w/ Handhold
- Whelen Side Scene Lighting

\*\*\* OPTIONAL CONTENT NOT SHOWN \*\*\*  
 REFER TO QUOTEWITER SPECIFICATIONS  
 FOR FULL OPTION CONTENT



CHASSIS: PANTHER EMFD  
 AXLES: 21,500# FRONT / 21,000# REAR  
 ENGINE: CUMMINS X10 MD / ALLISON 3000 EVS  
 BODY: ALUMINUM  
 GENERATOR: N/A  
 PUMP: WATEROUS CSU 2000 GPM  
 TANK: POLY 500 GAL. WATER/ 20 GAL. FOAM  
 FOAM: -

THIS DRAWING IS A GENERAL  
 CONFIGURATION AND MAY NOT  
 NECESSARILY REFLECT ALL  
 CONTRACTUAL REQUIREMENTS.  
 CONTRACT SPECIFICATIONS SHALL  
 PREVAIL OVER DRAWINGS.

**CUSTOMER APPROVAL:**

NAME: \_\_\_\_\_  
 TITLE: \_\_\_\_\_  
 DATE: \_\_\_\_\_

SYM	DATE	REVISION DESCRIPTION	APP'D
5	02/03/26	ENGINEERING COMPLETE	BM/RGH/AN
4	01/21/26	PRECON REVIEW	BM/RGH/AN
3	11/19/25	ENGINEERING REVIEW	CCS

SALES ENGINEER : TBD



DIMENSIONS ARE APPROXIMATE & MAY VARY DUE TO BUILD ADJUSTMENTS			
SCALE	DWG SIZE	DRAWN BY	DATE
	D	B.H.	04/28/25
MODEL 4117			
000000			

# S-180 CUSTOM PUMPER

## MODEL #4117



# OPTIONAL FEATURES

- Additional Hose Bed Divider**  
Provides flexibility for organized hose storage.  
QTY: \_\_\_\_\_
- Painted Roll-Up Doors**  
Match roll-up doors to your custom paint color.
- Satin Finish Roll Up Doors**  
Durable, corrosion resistant aluminum finish.
- Black-Out Package**  
Black light bezels, black wheel well trim, black anodized aluminum grab rails, and black powder coated folding steps.
- Booster Reel**  
Booster reel with electric rewind in pump upper storage for rapid deployment.
- FC-94 Chassis**  
MFD 94" Cab with 450 horsepower Cummins X10, both Medium Torque and High Torque optional. Reduces OAL by 3" and wheelbase by 6" with the same 6-person seating.
- Additional Upper Shelves**  
Organize open space for specific storage needs.  
QTY/Location: \_\_\_\_\_
- Additional Lower Shelves**  
Maximize compartment depth for flexible storage.  
QTY/Location: \_\_\_\_\_
- Floor Mounted Roll-Out Trays**  
Provide ergonomic access with heavy duty storage.  
QTY/Location: \_\_\_\_\_
- Wheel Chocks**  
Folding NFPA compliant wheel chocks stored under left side compartments.
- Hard Suction Hoses w/Carriers**  
Two anodized aluminum hose storage with restraints including clear PVC 6" x 10' installed each side.